



# SCORPION ATR

	IP Code	Tire Size	Note	LI/SR	Original Equipment	Measuring Rim	Approved Rims	Max Load	Max Load Dual	PSI	Load Range	OD	SW	Tread Depth	Ship Weight	U.T.Q.G.	
	<b>15 RIM</b>																
	1657400	205/70R15	RB	96T		6.0	5.0 - 7.0	1565		44		26.1	8.3	10/32	25	440 A B	
	1616700	P235/75R15	XL RW	108T		6.5	6.0 - 8.0	2205		50		29.1	9.4	12/32	37	520 A B	
	<b>16 RIM</b>																
	1617600	P225/70R16	RW	102T		6.5	6.0 - 7.5	1874		44		28.5	9.1	12/32	33	520 A B	
	1731400	P235/70R16	RB	105T		7.0	6.0 - 8.0	2039		44		29.1	9.4	12/32	36	520 A B	
	1826300	P245/70R16	RB	107T		7.0	6.5 - 8.0	2149		44		29.5	9.8	12/32	42	520 A B	
	1864000	P245/70R16	XL RB	111T		7.0	6.5 - 8.0	2403		44		29.5	9.8	12/32	37	520 A B	
	1616400	P255/70R16	RW	109T		7.5	6.5 - 8.5	2271		44		30.1	10.4	12/32	40	520 A B	
	1826400	P265/70R16	RB	112T		8.0	7.0 - 9.0	2469		44		30.7	10.9	12/32	40	520 A B	
	2004700	P265/70R16	RB	112T		8.0	7.0 - 9.0	2469		44		30.7	10.9	12/32	40	520 A B	
	1582300	P265/70R16	RW	112T		8.0	7.0 - 9.0	2469		44		30.7	10.9	12/32	44	520 A B	
	2004800	2 P275/70R16	RB	114T		8.0	7.0 - 9.0	2601		44		31.0	11.4	12/32	46	520 A B	
	1616800	P275/70R16	RW	114T		8.0	7.0 - 9.0	2601		44		31.0	11.4	12/32	46	520 A B	
	<b>17 RIM</b>																
	2053600	2 P235/70R17	XL RB	111T		7.0	6.0 - 8.0	2403		50		30.5	9.4	12/32	37	520 A B	
	1932400	P245/70R17	RW	108T		7.0	6.5 - 8.0	2205		44		30.7	9.8	12/32	40	520 A B	
	1616300	P265/70R17	RW	113T		8.0	7.0 - 9.0	2535		44		31.5	10.8	12/32	41	520 A B	
	1718000	P225/65R17	RB	102H		6.5	6.0 - 8.0	1874		44		28.5	8.9	13/32	32	520 A B	
	1717900	P235/65R17	XL RB	108H		7.0	6.5 - 8.5	2205		50		29.0	9.3	13/32	35	520 A B	
	2004900	2 P235/65R17	XL RB	108H		7.0	6.5 - 8.5	2205		50		29.0	9.3	13/32	35	520 A B	
	1864100	P245/65R17	XL RB	111T		7.0	7.0 - 8.5	2403		50		29.6	9.6	12/32	39	520 A B	
	1727300	P255/65R17	RB	110T		7.5	7.0 - 9.0	2337		44		30.0	10.2	13/32	39	520 A B	
	2005000	2 P265/65R17	RB	112T		8.0	7.5 - 9.5	2469		44		30.7	10.6	12/32	42	520 A B	
	1616500	P265/65R17	RW	112T		8.0	7.5 - 9.5	2469		44		30.7	10.6	12/32	42	520 A B	
	<b>18 RIM</b>																
	2053700	3 P255/70R18	RB	113T		7.5	6.5 - 8.5	2535		44		32.3	10.4	12/32	37	520 A B	
	2053800	3 P265/70R18	RB	116T		8.0	7.0 - 9.0	2756		44		32.8	11.0	12/32	38	520 A B	
	1831400	P275/65R18	RW	116H		8.0	7.5 - 9.5	2756		44		32.0	11.3	14/32	47	520 A B	
	1718100	P255/60R18	XL RB	112H		7.5	7.0 - 9.0	2469		50		30.3	10.1	11/32	38	520 A B	
	1831200	P265/60R18	RW	110H		8.0	7.5 - 9.5	2337		44		30.5	10.6	14/32	40	520 A B	
	<b>19 RIM</b>																
	1766800	P255/55R19	XL RB	111H		8.0	7.0 - 9.0	2403		50		30.1	10.2	12/32	38	520 A B	
	<b>20 RIM</b>																
	1942100	P275/55R20	RB	111S	Ford F-150 / Lincoln Mark LT	8.5	7.5 - 9.5	2403		44		31.9	11.3	12/32	44	520 A A	
	1852000	P275/55R20	RW	111S	Ford F-150	8.5	7.5 - 9.5	2403		44		31.9	11.3	12/32	44	520 A B	
	<b>FLOTATION/LT</b>																
	<b>15 RIM</b>																
	1582500	31X10.50R15	RW	109S		8.5	7.0 - 9.0	2271		50	C	30.6	10.5	15/32	44	520 A B	
	1681900	LT235/75R15	RB	110/107S		6.5	6.0 - 7.0	2337	2149	65	D	29.1	9.6	15/32	33	None	
	<b>16 RIM</b>																
	1617100	LT235/85R16	RW	120/116R		6.5	6.0 - 7.5	3086	2756	80	E	31.7	9.5	15/32	48	None	
	1617500	LT225/75R16	RB	110/107S		6.0	6.0 - 7.0	2337	2149	65	D	29.5	9.1	15/32	39	None	
	1617300	LT245/75R16	RB	120/116R		7.0	6.5 - 8.0	3086	2756	80	E	30.5	9.9	15/32	47	None	
	1555400	LT265/75R16	RW	123/120S		7.5	7.0 - 8.0	3417	3086	80	E	31.6	10.6	15/32	49	None	
	1523100	LT285/75R16	RW	122/119R		8.0	7.5 - 9.0	3307	2998	65	D	32.8	11.3	15/32	54	None	
	1640700	LT245/70R16	RW	113/110T		7.0	6.5 - 7.5	2535	2337	65	D	29.5	9.9	15/32	41	None	
	<b>17 RIM</b>																
	1616000	LT235/80R17	RW	120/117R		6.5	6.0 - 7.5	3086	2833	80	E	31.8	9.3	15/32	49	None	
	1616200	LT245/70R17	RB	119/116R		7.0	6.5 - 8.0	2998	2756	80	E	30.4	9.9	15/32	43	None	
	1617000	LT265/70R17	RW	121/118S		8.0	7.0 - 8.5	3197	2910	80	E	31.6	10.6	15/32	51	None	
	1616900	LT285/70R17	RW	121/118R		8.5	7.5 - 9.0	3197	2910	65	D	32.7	11.2	15/32	57	None	
	<b>20 RIM</b>																
	1577500	LT325/60R20	RB	121/118S		9.5	9.0 - 12.0	3197	2910	65	D	35.4	12.8	15/32	64	None	
	1697100	LT305/55R20	RB	121/118S		9.5	8.5 - 11.0	3197	2910	80	E	33.2	12.0	15/32	58	None	
	<b>22 RIM</b>																
	1577400	LT325/55R22	RB	120/117S		11.0	9.0 - 12.0	3086	2833	80	E	36.1	12.9	15/32	66	None	
	<b>24 RIM</b>																
	1577300	LT325/45R24	RB	120/117S		11.0	9.0 - 12.0	3086	2833	80	E	35.6	12.3	15/32	63	None	

2 - 2nd Qtr, 3 - 3rd Qtr

